

INDUSTRIAL | H-LINE



Chinese

English

French

German

Hungarian

Italian

Russian

Slovenian

Spanish

Turkish


mobile space solutions
www.r-zs.com



RÖDER INDUSTRIAL REQUIREMENTS & SOLUTIONS

| | | | | | |
|--|--|---|---|---|---|
| <p>13.200 m² USABLE AREA</p> <p>8 Months TIME FRAME</p> <p>10,0 x 10,0 m S-LINE (6 Pcs.) 10,0 x 20,0 m S-LINE (6 Pcs.) 15,0 x 10,0 m S-LINE (4 Pcs.) 15,0 x 20,0 m S-LINE (8 Pcs.) 20,0 x 60,0 m S-LINE (7 Pcs.) TENT TYPE</p> <p>Special design of gable for installation of large-scale gate systems EQUIPMENT</p> <p>Storage solution for glass manufacturing industrial</p> | <p>800 m² USABLE AREA</p> <p>10 Years TIME FRAME</p> <p>15,0 x 50,0 m S-LINE TENT TYPE</p> <p>Sheet walls, condensation protection by Thermoinsulated tarpaulins EQUIPMENT</p> <p>Museum „The army of terracotta warriors“ on the island Usedom</p> | <p>7.200 m² USABLE AREA</p> <p>2 Years TIME RAME</p> <p>30,0 x 80,0 m H-LINE (3 Pcs.) TENT TYPE</p> <p>Truck ramps Gate and door systems Facade made of isopanele EQUIPMENT</p> <p>Goods handling for a logistics center</p> | <p>30.000 m² USABLE AREA</p> <p>3 Years TIME FRAME</p> <p>50 x 100 m Special design (15 m Side height) 50 x 105 m Special design (15 m Side height) 50 x 90 m Special design (15 m Side height) S-LINE as garage systems TENT TYPE</p> <p>Special design with 15,0 m side height Translucent and opaque Tarpaulin EQUIPMENT</p> <p>Large covering to the soil cleanup of an environmental service provider in France</p> | <p>2.400 m² USABLE AREA</p> <p>5 Years TIME FRAME</p> <p>20,0 x 60,0 m T-LINE (2 Pcs.) TENT TYPE</p> <p>Electric rolling gate with escape and entrance door EQUIPMENT</p> <p>Warehouse in Turkey</p> | <p>2.400 m² USABLE AREA</p> <p>5 Months TIME FRAME</p> <p>20,0 x 120,0 m S-LINE TENT TYPE</p> <p>Anchor-free setup with ballast Hall system installed on moveable rails EQUIPMENT</p> <p>Bridge covering for rehabilitation work</p> |
|--|--|---|---|---|---|





» INCREASE PRODUCTIVITY

With flexible and modular spans, lengths and heights the RÖDER H-LINE adapts to the specific, customer-oriented, space requirements.



ECONOMICALLY AND VALUE-ADDING

RÖDER INDUSTRIAL | H-LINE

Service and industrial companies need spaces that fit shapes to meet the specific requirements. Often, fast, economical and flexible solutions are needed.

RÖDER INDUSTRIAL is specialized in the space requirements of services and industrial companies. As experts in mobile and modular hall systems RÖDER group knows the requirements of the particular branches. The warehouse and logistics solution RÖDER H-LINE convinces in both safety and efficiency. Flexible and modular spans, lengths and heights allow for a variety of applications. The simple use of earth or screw anchors, heavy duty anchors, spot or strip footings is sufficient for the installation. Thus, the installation costs reduce.

Due to the sustainable mobility and sophisticated design, the system is in contrast to traditional halls quickly mounted and installed at almost any location within a very short time. The refined steel frame is manufactured in a special welding process, which gives the highest stability construction and durability. The special roof with double-walled, air-filled thermal roof cover provides excellent climate, reduced heating costs, prevents condensation, improves snow load and allows you to work in daylight. To complement the individual halls RÖDER Group offers a wide range of accessories. The accessories range from facade elements, as well as specific door and gate systems to floor, heating, air-conditioning and lighting systems.

Come and speak to us in person to find out which Industrial series tent best meets your requirements. The RÖDER team looks forward to helping you find the perfect accommodation!



» HIGHEST TECHNICAL LEVEL

Calculable costs, location-independent, modular constructions and the rapid availability secure a competitive advantage.



POSSIBLE APPLICATIONS

LOGISTIC SOLUTIONS **SALES ROOM** **WORKSHOP**
STORAGE SOLUTION **PRODUCTION HUB** **DEPOT**
MARKET HALL **GOODS HANDLING** **COVERING**
OFFICE SOLUTION **STUDIO** **CONSTRUCTION SITES**
PLANT CONSTRUCTION **CLIMATE ZONES** **COLD**
STORAGE **SPEDITION** **GARAGE** **ORDER PEAKS** **OVER**
PRODUCTION **OUTSOURCING** **DISTRIBUTION** **INDUSTRY**



**TEMPORARILY OR
PERMANENTLY**

EFFECTIVE AND EFFICIENT

The RÖDER H-LINE halls are effective and efficient by the diverse applications that they can be tailored for. The hall system is economically feasible in a very short construction period.







TECHNICAL DATA



INDUSTRIAL HALL | H-LINE

| | | |
|---------------------------------|---|--------------------|
| STANDARD VERSION | | |
| Span | 1.000 cm | 1.500 cm |
| Side height | 420 / 520 / 620 cm | 420 / 520 / 620 cm |
| Ridge height | 594 / 694 / 794 cm | 674 / 774 / 874 cm |
| Roof pitch | 18° | 18° |
| Bay distance / grid | 500 cm | 500 cm |
| Longest component | 570 / 570 / 670 cm | 802 cm |
| Gable column | 1 | 2 |
| Min. setup length | 1.500 cm | 1.500 cm |
| Max. setup length | Expandable with the grid | |
| Main profile | 252 x 122 x 4 mm / 334 x 122 x 8/4,5 mm | |
| Max. wind speed according to EN | 100 km/h | |
| Snow load | 1,31 kN/m² | |
| Tarpaulin | RÖDER No. 1, PVDF coated tarpaulin, according to EN 15619 | |
| Fixed cladding | <ul style="list-style-type: none">Trapezoidal sheet metal, galvanized, color-coated, interior protective lacquerISO Sandwich elements, galvanized steel sheet on both sides (inside and outside), crimped, PU foam filling | |

H-LINE 1.000/420/594 & 1.000/520/694 & 1.000/620/794



H-LINE 1.500/420/674 & 1.500/520/774 & 1.500/620/874



QUESTIONS AND COMMENTS

We have provided you with a summary of the main data and measurements of our standard constructions. No guarantee can be made for the accuracy of the information given. We cannot be held liable for printing or spelling errors. We would be happy to meet with you personally to help you find the perfect accommodation to match your requirements. If you have any questions on further measurements, specialist constructions, extensions or remodeling, or if you require further technical data, the RÖDER team will be happy to help.





TECHNICAL DATA



INDUSTRIAL HALL | H-LINE

| STANDARD VERSION | | |
|------------------------|---|----------------------|
| Span | 2.000 cm | 2.500 cm |
| Side height | 420 / 520 / 620 cm | 420 / 520 / 620 cm |
| Ridge height | 756 / 856 / 956 cm | 838 / 938 / 1.038 cm |
| Roof pitch | 18° | 18° |
| Bay distance / grid | 500 cm | 500 cm |
| Longest component | 1.075 cm | 1.075 cm |
| Gable column | 3 | 4 |
| Min. setup length | 1.500 cm | |
| Max. setup length | Expandable with the grid | |
| Main profile | 334 x 122 x 8/4,5 mm | |
| Max. wind speed to DIN | 100 km/h | |
| Snow load | 1,31 kN/m² | |
| Tarpaulin | RÖDER No. 1, PVDF coated tarpaulin, according to EN 15619 | |
| Fixed cladding | <ul style="list-style-type: none">Trapezoidal sheet metal, galvanized, color-coated, interior protective lacquerISO Sandwich elements, galvanized steel sheet on both sides (inside and outside), crimped, PU foam filling | |

H-LINE 2.000/420/756 & 2.000/520/856 & 2.000/620/956



H-LINE 2.500/420/838 & 2.500/520/938 & 2.500/620/1.038



QUESTIONS AND COMMENTS

We have provided you with a summary of the main data and measurements of our standard constructions. No guarantee can be made for the accuracy of the information given. We cannot be held liable for printing or spelling errors. We would be happy to meet with you personally to help you find the perfect accommodation to match your requirements. If you have any questions on further measurements, specialist constructions, extensions or remodeling, or if you require further technical data, the RÖDER team will be happy to help.




TECHNICAL DATA


INDUSTRIAL HALL | H-LINE

| STANDARD VERSION | | |
|---------------------------------|---|--------------------------|
| Span | 3.000 cm | 4.000 cm |
| Side height | 420 / 520 / 620 cm | 420 / 520 / 620 cm |
| Ridge height | 919 / 1.019 / 1.119 cm | 1.070 / 1.170 / 1.270 cm |
| Roof pitch | 18° | 18° |
| Bay distance / grid | 500 cm | 500 cm |
| Longest component | 1.075 cm | 1.075 cm |
| Gable column | 5 | 7 |
| Min. setup length | 5.500 cm | 5.500 cm |
| Max. setup length | Expandable with the grid | |
| Main profile | 334 x 122 x 8/4,5 mm | 350 x 124 x 10/6 mm |
| Max. wind speed according to EN | 100 km/h | |
| Snowload | 1,31 kN/m² | |
| Tarpaulin | RÖDER No. 1, PVDF coated tarpaulin, according to EN 15619 | |
| Solid cladding | <ul style="list-style-type: none">Trapezoidal sheet metal, galvanized, color-coated, interior protective lacquerISO Sandwich elements, galvanized steel sheet on both sides (inside and outside), crimped, PU foam filling | |

H-LINE 3.000/420/919 & 3.000/520/1.019 & 3.000/620/1.119



H-LINE 4.000/420/1.070 & 4.000/520/1.170 & 4.000/620/1.270



QUESTIONS AND COMMENTS

We have provided you with a summary of the main data and measurements of our standard constructions. No guarantee can be made for the accuracy of the information given. We cannot be held liable for printing or spelling errors. We would be happy to meet with you personally to help you find the perfect accommodation to match your requirements. If you have any questions on further measurements, specialist constructions, extensions or remodeling, or if you require further technical data, the RÖDER team will be happy to help.



EQUIPMENT FEATURES H-LINE

FLEXIBLE AND MODULAR

ECONOMICAL SYSTEM

Halls of RÖDER H-LINE can be quickly and easily assembled and disassembled by stable and solid connection elements. The sophisticated combination of supporting and connection elements guarantees statically tested high stability. The double-walled, air-filled thermal roof cover provides excellent climate, reduced heating costs, prevents condensation, improves snow load and allows you to work in daylight. Many optional pieces of equipment and tent components can be added to the standard scope of delivery. RÖDER H-LINE solutions flexible and modular.



1. **Stability**

RÖDER guarantees a high level of stability on almost any terrain.

2. **Gutter**

The special gutter system allows a continuous usable space when using multiple tents.

3/4. **Roof systems**

Double-walled, air-filled thermal roof tarpaulins with self-regulating pressure unit

5. **Door and gate systems**

Doors freely selectable and can be positioned as desired inside of the wall elements.

6. **Facade systems**

Wallcovering made of single-layer trapezoidal sheet



INCLUDED IN DELIVERY

Frame construction with high strength aluminum profiles

White Thermo roof tarpaulin

Pressure unit

Trapezoidal sheet or Sandwich-panels 40 mm as wall cladding



SPECIAL EQUIPMENT

Various floor and facade systems

Other facade systems (for example 60 mm iso panels)

Sewage and rain gutter system

Lighting

Heating and air conditioning systems

Truck ramps

DESCRIPTION OF FRAME MATERIAL

High strength aluminum profile with four-channel keder system

Steel profiles galvanized

Connection elements made of galvanized steel

Static calculated according to EN 13782 (incl. fixed building standard)

DESCRIPTION OF TARPAULIN MATERIAL

RÖDER No. 1, PVC-coated tarpaulins produced in line with EN 15619

Classified as 'difficult to ignite' by DIN 4102 and EN 13501

Dirt-repellent and light-resistant

Lets daylight through and is UV-resistant

Low-wick coated polyester threads

DURABLE AND STABLE



TECHNICAL FEATURES

DECADES OF EXPERIENCE

The RÖDER Group uses only the most qualified staff, the best materials and constantly draws on its decades of experience in the field of temporary accommodation – right from the very start of the construction and production process of the tent and marquee systems. We achieve high customer satisfaction through quality and safety. Continuous and reliable quality management means we can place our trust in the materials we use. The RÖDER Group is certified according to the European standards EN ISO 9001:2008 and EN ISO 14001:2009. All structures are calculated and tested in accordance with the European standard EN 13782.



3. Logistic
Specialist partners take on the task of transporting the tent and marquee systems. As a trusted and known dispatcher, RÖDER benefits from a fast-track customs clearance process. This guarantees a just-in-time availability worldwide.

4. Production
RÖDER production is respectful to both people and the environment – worldwide.



1. Construction
The modular design principle allows various types of construction and expansion.

2. Equipment
RÖDER offers many exclusive types of facades and equipment to go with its tent and marquee systems.



The anodised aluminium frame is equipped with highly secure profiles and has two- or four-channel keder technology. The sophisticated keder technology makes it possible to expand the tents in many different ways – using the modular design principle. The keder technology also provides protection against bad weather and storms. Highly secure aluminium alloys and galvanized steel guarantee a long-life hold.

RÖDER conducts the planning in line with the minimum quality standards laid down by the EN 15619 product certification. The long-life RÖDER No.1 tarpaulins are equipped with polyester threads that have a special low-wick and PVDF coating. This increases their resistance against bad weather, prevents dirt building up on the surface and damp getting through. The tarpaulins are classified as ‘difficult to ignite’ by the standards DIN 4102 and EN 13501, are resistant against fungus and spores (fungicidal), and are UV-proof.

The tents guarantee easy handling as they are quick and easy to set up, do not take up much storage or transport space, and the highly secure aluminium profiles are lightweight. The installation and dismantling of the tents will not demand too much manpower or incur high costs.

» EXPANSION OPTIONS

By combining with other RÖDER tent and hall systems as well as diverse and variable expansions new and continuous economical usable space arise.



FULL-SERVICE



TARPAULINS & FACADE SYSTEMS



FLOOR SYSTEMS



STAIRS, BALCONIES, GALERIES & RAILINGS



HEATING & AIR CONDITIONING SYSTEMS



LIGHTING



KITCHEN & SANITARY INSTALLATIONS



INTERIOR, CLADDING & DECORATION



FENCE, SEPARATION & FLAG SYSTEMS

DIVERSE AND VARIABLE



SECURITY SYSTEMS



DOOR & GATE SYSTEMS

SUSTAINABLE AND
ECOLOGICAL



BENEFITS AND ADDED VALUE OVERVIEW

WORK AT DAY LIGHT MODULAR DESIGN
RAPID AVAILABILITY ECONOMICAL
SOLID AND SAFE CONNECTION ELEMENTS
CALCULABLE STORAGE AND TRANSPORT COSTS
EASY AND QUICK INSTALLATION
EXCELLENT VALUE FOR MONEY DIFFERENT SIDE COVERS
FACADES AND FLOOR SYSTEMS
EXCLUSIVE RECONSTRUCTION VARIANTS
EXPANDABLE BY GRID SYSTEM
EXPERT ADVICE IN ALL PHASES OF THE PROJECT
CERTIFIED QUALITY AND SAFETY
EXTENSIVE SERVICE AND SERVICE-SUPPLY OFFER
DIVERSE APPLICATION POSSIBILITIES
MANY YEARS OF EXPERTISE OF QUALIFIED EMPLOYEES
FLEXIBLE AND MODULAR EQUIPMENT
DURABLE AND HIGH QUALITY MATERIALS
A TENT AND HALL SYSTEMS OF RÖDER
ENGINEERED AND MADE IN GERMANY



ISO 9001:2008
ISO 14001:2009
REGISTERED FIRM

ENGINEERED IN
GERMANY

QUALITY MANAGEMENT

IN ALL PROCESSES, WE ENSURE THAT THE HIGHEST QUALITY AND SAFETY STANDARDS ARE COMPLIED WITH IN ORDER TO PROTECT OUR CUSTOMERS AND TO OFFER THEM THE BEST-LOOKING PRODUCT WITH THE BEST MATERIALS. THIS IS WHY QUALITY, SAFETY AND DURABILITY ARE FIRM COMPONENTS OF RÖDER'S COMPANY CULTURE.

In order to optimise production and business processes and to maintain all safety guidelines so as to guarantee product quality and customer satisfaction, the RÖDER Group employs consistent, sustainable and thorough quality management. The concept of our quality management is based on internal and external input. All relevant processes are defined and documented – from the design phase, material selection and project planning right up to when the tent and marquee systems are given to the customers. As a high-end manufacturer, 'Engineered in Germany' and 'Made by RÖDER' is our promise of quality to our customers. Both our design expertise and quality management are therefore pivotal for the success of our products and trust of our customers.

The quality management systems, which are tested and certified in accordance with the **European standards EN ISO 9001:2008** and **EN ISO 14001:2009**, relate to the design, construction, production, sale and hiring out of RÖDER tent and marquee systems. In order to guarantee the quality promised by the RÖDER Group, all members of staff take part in regular external and internal training on quality and safety. All our temporary accommodation is inspected by TÜV in terms of construction, structure and the tarpaulins. In addition, the company receives external advice and supervision from Bavarian-based company inspectors, the **LGA (Landesgewerbeanstalt Bayern)**.

| | | | |
|--|---|--|---|
| ARGENTINA (RÖDER PARTNER) 1 Roggerone SRL, Av. Santa Fé 2665-1640 Martinez, Pcia de Buenos Aires, Argentina Fon + 54 11 47 92 54 22 Fax + 54 11 47 93 41 13 info@r-zs.com www.roggerone.com | CZECH REPUBLIC 7 (RÖDER PARTNER) Marie Kršňákové 119 403 17 Chabařovice, Czech Republic Fon + 42 04 75 21 47 93 4 Fax + 42 04 75 21 47 93 info@r-zs.com www.roeder.cz | ITALY 13 RÖDER Italia SRL Bahnhofstrasse 27/a Via Stazione IT-39042 Brixen, Italy Fon + 39 04 72 83 09 39 Fax + 39 04 72 83 29 09 italia@r-zs.com www.r-zs.com | SPAIN (RÖDER PARTNER) 20 Foro Técnico S.L., Orient 78-84 ES-08172 St. Cugat del Valles Barcelona, Spain Tel: +34 93 544 18 60 Fax: +34 93 544 18 61 info@r-zs.com www.forotec.com |
| AUSTRIA 2 RÖDER Mitteweg 8 AT-4175 Herzogsdorf, Austria Fon + 43 7 23 13 30 93 Fax + 43 7 23 13 30 93 info@r-zs.com www.r-zs.at | FRANCE 8 RÖDER France SARL ZI No. 2 - 28, Allée Monge FR-60 000 Beauvais, France Fon + 33 3 44 02 88 77 Fax + 33 3 44 05 39 26 info@roder.fr www.r-zs.com | MALAYSIA (RÖDER PARTNER) 14 Sebsat Malaysia Sdn Bhd 24, Jalan PJS 7/21, Bandar Sunway, Subang Jaya, 47500, Petaling Jaya, Selangor, 46150, Malaysia Fon +60 3 56 33 23 82 info@r-zs.com | SWEDEN (RÖDER PARTNER) 21 One4Event AB Hemgatan 2 SE-78473 Borlänge, Sweden Fon +46 24 37 94 36 0 Fax +46 24 37 94 36 9 info@r-zs.com www.one4event.com |
| AUSTRALIA (RÖDER PARTNER) 3 H-Line Structures Australia P.O. Box 8009, Toowoomba AU-4350 Queensland, Australia Fon + 61 75 44 51 30 0 Fax + 61 75 44 58 02 7 info@r-zs.com www.hlinestructures.com.au | GERMANY 9 RÖDER Zelt- und Veranstaltungsservice GmbH Am Lautenstein, 63654 Büdingen Fon + 49 60 49 700 0 Fax + 49 60 49 700 339 info@r-zs.com www.r-zs.com | NEW ZEALAND (RÖDER PARTNER) 15 H-Line Structures 9A Taylor Rd NZ-Papamoa, Bay of Plenty 3118, New Zealand Fon + 61 75 44 51 30 0 Fax + 61 75 44 58 02 7 info@r-zs.com www.hlinestructures.com.au | SWITZERLAND (RÖDER PARTNER) 22 Orgatent AG Gewerbe Badhus CH-6022 Grosswangen, Switzerland Fon + 41 4 19 80 49 39 Fax + 41 4 19 80 49 19 info@orgatent.ch www.orgatent.ch |
| CHILE (RÖDER PARTNER) 4 Armando Pucci, General manager of Bodegajes Temporales Limitada Patricia Viñuela 578-C CL-Lampa Santiago, Chile Fon + 56 27 38 56 38 Fax + 56 27 38 56 39 info@r-zs.com www.btcbodegajes.cl | GREECE (RÖDER PARTNER) 10 Con.Tent Ltd. Kifissias Avenue 198 GR-15231 Halandra-Athens, Greece Fon + 30 21 06 75 47 20 Fax + 30 21 06 75 47 22 info@r-zs.com www.con-tent.gr | ROMANIA (RÖDER PARTNER) 16 Str. Buzești Nr. 61, Et. 7, Ap. 48-49, Sector 1, RO-011013 Bukarest, Romania Fon + 40 21 31 10 01 1 Fax + 40 21 31 10 01 1 info@r-zs.com www.roeder.ro | TURKEY (RÖDER PARTNER) 23 RÖDER Yapi Sistemleri San. Tic. Ltd. Sti Yeniyl Sokak, No:16 Etap, Blokları, A Blok 5. Kat, Daire:12 Acıbadem Kadiköy, TR-34718 Istanbul, Turkey Fon + 90 21 63 40 89 10 Fax + 90 21 63 40 89 15 info@roder.com.tr www.roder.com.tr |
| CHINA (PEKING) 5 RODER Tent Service (Beijing) CO., Ltd Rm. 311 Sanchuan Dasha 3 Hepingli Xijie, Chaoyang Qu 100013 BEIJING, P. R. China Fon + 86 10 64 40 55 - 71 -72 Fax + 86 10 64 40 52 19 info@roder-china.com www.roder-china.com | GUATEMALA 11 RÖDER Apartado Postal 176 "C", C.C. Metro 15 Zona 15 GT-01015 Guatemala C.A., Guatemala Fon + 50 2 50 16 0 78 0 Fax + 50 2 23 69 8 55 0 info@r-zs.com www.r-zs.com | RUSSIAN FEDERATION 17 RODER OOO v. Chernaya Gryaz, 5A, Solnechnogorskiy area, region moscow, RU-141580 Moskau, Russian Federation, Fon + 7 495 785 81 57 Fax + 7 495 785 81 58 roder@roder.ru www.roder.ru | UKRAINE (RÖDER PARTNER) 24 Tent Plettac Ltd. Plodova Str., 1 UA-4128 Kyiv, Ukraine Fon +38 044 400 0461 Fax +38 044 422 2145 info@tent-plettac.com www.tent-plettac.com |
| CHINA (SHANGHAI) 6 RODER Tent Service (Shanghai) CO., Ltd No. 3978 Hu Qingping Road, Qingpu district, CN-201703 Shanghai, China Fon + 86 21 51 09 92 28 Fax + 86 21 39 81 26 07 info@roder-china.com www.roder-china.com | HUNGARY 12 RÖDER GmbH Magyarországi Közzvetlen Kereskedelmi, Képviselőtele Széchenyi tér 21-23 II/6 HU-6900 Makó, Hungary Magyarország Fon + 36 62 21 20 71 Fax + 36 62 21 20 71 info@r-zs.com www.roeder.hu | SINGAPORE (RÖDER PARTNER) 18 SebSat pte Ltd. Sebening Sattar Tent Events 52 Sungei Kadut Street 1, SG-729355 Singapore Fon + 65 67 76 88 70 Fax + 65 67 76 87 73 info@r-zs.com www.sebsat.com.sg | UNITED KINGDOM 25 RÖDER UK Ltd. Unit 16 Earith Business Park Meadow Drove, Earith, Cambridgeshire GB-PE28 3QF, United Kingdom Fon + 44 14 87 84 08 40 Fax + 44 14 87 84 08 43 sales@roderuk.com www.roderuk.com |
| | | SLOVENIA (RÖDER PARTNER) 19 Expo Biro Ltd., Puhova 20 SL-2000 Maribor, Slovenia Fon + 38 62 48 05 80 0 Fax + 38 62 48 05 80 20 info@r-zs.com www.expobiro.si | USA (RÖDER PARTNER) 26 Anchor Industries Inc. 1100 Burch Dr., P.O. Box 3477 Evansville, Indiana 47733, USA Fon +1 812 8672 421 Fax +1 812 8670 547 info@r-zs.com www.anchorinc.com |





RÖDER ZELT- UND VERANSTALTUNGSSERVICE GMBH
AM LAUTENSTEIN, 63654 BÜDINGEN (GERMANY)

FON +49 6049 700 0
FAX +49 6049 700 339

INFO@R-ZS.COM
WWW.R-ZS.COM

